



Interlocking Windowless Shed Range[®]

Technical Details



For Queries and Help
please call Product
Support:
01636 858377



In association with



PROPRIETARY AND CONFIDENTIALITY

All the information contained within this document including all technical data, dimensions, shape/form and branding (inc. Trademarks, logos, etc.) is the sole property of Kybotech Limited. The reproduction and/or disclosure to any third party of any information contained within this document is strictly prohibited. Breaches of the copyright will be dealt with on the highest level of severity with immediate legal proceedings.


© May 2015 - BillyOh.com - V1.0 - 150514

Interlocking Windowless Shed Range

Front elevation: width 1.8m/5'11"

Sizes available

available in standard 19mm cladding types



Interlocking Windowless Shed
D12ft x W6ft
(Including Overhang)



Interlocking Windowless Shed
D10ft x W6ft
(Including Overhang)




Interlocking Windowless Shed
D8ft x W6ft
(Including Overhang)

D3.8m x W2.5m / D12'6" x W5'11"


Interlocking Windowless Shed:

Side elevation




Side of Building

Floor Plan



Floor Profile




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

D3.2m x W1.8m / D10'6" x W5'11"


Interlocking Windowless Shed:

Side elevation



Side of Building

Floor Plan




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

D2.4m x W1.8m / D7'10" x W5'11"


Interlocking Windowless Shed:

Side elevation




Side of Building

Floor Plan



Floor Profile




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

Interlocking Windowless Shed Range

Front elevation: width 2.5m/8'2"

Sizes available

available in standard 19mm cladding types



Interlocking Windowless Shed
D10ft x W8ft
(Including Overhang)




Interlocking Windowless Shed
D12ft x W8ft
(Including Overhang)

D3.8m x W2.5m / D12'6" x W8'2"


Interlocking Windowless Shed:

Side elevation




Side of Building

Floor Plan



Floor Profile




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

D3.2m x W2.5m / D10'6" x W8'2"


Interlocking Windowless Shed:

Side elevation




Side of Building

Floor Plan



Floor Profile



Roof Overhang Area

Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.